

Shenzhen Enster Electronics Co.,LTD

Mini 4 in 1 HD IR Dome camera



Feature:

- 1>Vandalproof Metal Dome Camera
- 2>Lens:Board lens 3.6mm
- 3>IR LED: 10 x F5 IR LED
- 4>IR Range:8M

		NST-ATC3582	NST-ATC35813
Camera Type	TVI Camera	4 IN 1 Camera (AHD/TVI/CVI/CVBS)	
Effective Pixels	3.0 Mega Pixels	2.0 Mega Pixels	1.3 Mega Pixels
Image Sensor	1/3" Aptina CMOS Sensor,UTC,ICR,OSD	1/2.8" SONY CMOS Sensor,UTC,ICR	1/3" OV CMOS Sensor,ICR,DIP
DSP	Nextchip V30	Nextchip V30	Nextchip V20
Min. Illumination	Color 0.001Lux@F1.2	Color 0.01Lux@F1.2	Color 0.01Lux@F1.2
	B/W 0.0001 Lux@F1.2	B/W 0.001 Lux@F1.2	B/W 0.01 Lux@F1.2
On Screen Display	Yes	Yes	Yes
OSD Function	Manual/DC Lens,Shutter/AGC/WB,Pict Adjust,Mirror,Day/Night,DNR,BLC/HLC,Motion Detect,Privacy Zone		
IR Cut Filter	IR LED synchronous switching double filter		
Lens Mount	Board lens 3.6mm		
Infrared Luminary	10pieces F5 IR-LEDs		
Infrared Wavelength	850 nm		
Illuminate Distance	8M		
Waterproof Criterion	IP66		
I/O Connector	1*DC Power Connector ,1* BNC Video Connector		
Supplied Voltage	DC12V		
Power Consumption	IR On: 600mA max., IR Off: Less than 200mA		
Working Environment	-10 ° C~+60 ° C, 10%~90% ( Built in Heater being optional added for environment lower than -20 ° )		

Weight	0.5kg
--------	-------